



Research Article

MODERN APPROACHES TO GSM-INTEGRATED AUTOMATED MEDICATION ALERT SYSTEMS

^{1*}Arockiasamy Selvanayagam, ²Ponnammal T, ³Kiran Kumar S, ⁴Sibi S and ⁵B Nazreen

¹PERI Institute of Technology, Chennai - 48, Tamil Nadu, India

²PERI College of Arts and Science, Chennai - 48, Tamil Nadu, India

³PERI College of Physiotherapy, Chennai - 48, Tamil Nadu, India

⁴PERI College of Pharmacy, Chennai - 48, Tamil Nadu, India

⁵PERI College of Nursing, Chennai - 48, Tamil Nadu, India

Article History: Received 25th September 2025; Accepted 22nd November 2025; Published 1st December 2025

ABSTRACT

Medication non-adherence remains a persistent challenge in healthcare, particularly among elderly patients and individuals with chronic illnesses. Recent technological advancements have enabled the development of automated reminder systems that leverage Global System for Mobile Communications (GSM) for reliable, real-time medication alerts. This paper presents a comprehensive study on modern approaches to GSM-integrated automated medication alert systems, focusing on their design principles, communication architecture, patient engagement features, and clinical usability. The proposed system integrates microcontroller-based sensing modules, real-time clocks, and GSM communication to deliver scheduled reminders through SMS notifications. Experimental evaluation demonstrates high accuracy in medication schedule tracking, low latency in message delivery, and increased adherence rates among test users. The study highlights key challenges such as network dependency, security concerns, and user interface limitations while outlining future enhancement pathways including IoT integration, cloud connectivity, and AI-driven predictive adherence monitoring. Overall, the research underscores the potential of GSM-enabled automated reminder solutions in improving medication compliance and reducing preventable health risks.

Keywords: GSM, Medication Reminder, Automated Alert System, Healthcare Technology, SMS Notification.

INTRODUCTION

Medication adherence is a critical component of effective healthcare management, particularly for individuals diagnosed with chronic conditions such as hypertension, diabetes, cardiovascular disorders, and neurological diseases. Despite its importance, global statistics indicate that a significant percentage of patients fail to follow prescribed medication schedules, resulting in deteriorated health outcomes, increased hospital admissions, and higher treatment costs. Traditional reminder methods such as manual logs, pill organizers, or caregiver-based notifications often prove inadequate in ensuring consistent adherence, especially among elderly or cognitively impaired individuals. The rapid evolution of mobile

communication technologies has significantly influenced the landscape of healthcare monitoring and patient support systems. Among these technologies, the Global System for Mobile Communications (GSM) remains one of the most widely available and reliable communication infrastructures, particularly in developing regions where internet-based systems may lack consistent coverage. GSM-based alert mechanisms offer a stable platform for transmitting medication reminders through Short Message Service (SMS), ensuring timely and direct communication with patients or caregivers.

Recent advancements in embedded systems, sensor technology, and low-power microcontrollers have paved the way for intelligent medication alert devices that

*Corresponding Author: Arockiasamy Selvanayagam, PERI College of Physiotherapy, Chennai-48, Tamil Nadu Email: publications@peri.ac.in

autonomously track dosage schedules and trigger notifications. These systems typically employ components such as real-time clock (RTC) modules for precise timing, GSM modules for communication, and auditory or visual alerts for local reminders. The integration of GSM enhances usability by providing remote communication capabilities, enabling caregivers and healthcare professionals to monitor patient adherence from a distance. This paper focuses on modern approaches to GSM-integrated automated medication alert systems, emphasizing system architecture, technological innovations, and performance evaluation. The study

investigates design considerations, communication workflows, and user-oriented features that contribute to the efficiency and effectiveness of such systems. Additionally, it highlights existing challenges and explores potential directions for future development, including cloud synchronization, IoT-based analytics, and AI-enabled adherence prediction models. By addressing these core aspects, the research aims to contribute to the growing body of knowledge on digital health technologies and support the development of robust, user-friendly, and clinically relevant medication reminder solutions that leverage GSM communication.



Figure 1. Modern Approaches to Gsm-Integrated Automated Medication Alert Systems.

Text-message reminders have been widely tested as low-cost interventions to improve adherence to long-term therapies Figure 1. Randomized trials and meta-analyses report generally positive but heterogeneous effects: some studies show improved appointment attendance and medication-taking behavior, while others show limited or no clinical benefit depending on message content, frequency, and population characteristics (Pop-Eleches *et al.*, 2011; Mbuagbaw *et al.*, 2012; Mohammed *et al.*, 2016). Overall, SMS-based interventions are considered feasible and scalable, particularly in resource-limited settings where smartphone access is limited (Pop-Eleches *et al.*, 2011; Mohammed *et al.*, 2016). Hardware prototypes for automated medication reminders typically combine a microcontroller (e.g., Arduino/ESP32), a real-time clock for accurate scheduling, a GSM module (SIM800/SIM900) for SMS/call alerts, and local alert mechanisms (buzzer/LED/LCD). Engineering papers emphasize simplicity, low power consumption, and reliable scheduling and retry logic for SMS transmission (Paul *et al.*, 2024; Peddisetti *et al.*, 2024). These designs prioritize robustness

in low-resource environments where internet connectivity is unreliable (Paul *et al.*, 2024). Recent approaches extend GSM-only devices into hybrid IoT architectures that combine GSM, Wi-Fi/cellular data, and cloud backends to enable remote dashboards, data logging, and analytics. Such systems can support remote schedule updates, adherence dashboards for clinicians, and storage for machine-learning models at the cost of added system complexity, security needs, and dependence on internet availability (Peddisetti *et al.*, 2024; Gargioni *et al.*, 2024). A central limitation in most reminder/dispenser systems is verifying actual ingestion after a reminder or dispensing event. Proposed verification strategies include sensor fusion (weight sensors, accelerometers), smart blisters, camera confirmation, or user-confirmation flows. Each technique faces tradeoffs in cost, privacy, and reliability; as a result, many systems report adherence to “dose taken or dispensed” rather than true ingestion (Gargioni *et al.*, 2024; Peddisetti *et al.*, 2024). The behavioral impact of SMS reminders depends strongly on message framing (e.g., personalized vs. generic), timing, interactivity (one-way vs.

two-way), and cultural/language tailoring. Studies indicate that combining SMS reminders with educational content, motivational framing, or human follow-up often produces stronger effects than simple one-way reminders (Mbuagbaw *et al.*, 2012; Pop-Eleches *et al.*, 2011).

Usability Research Shows That Hardware Simplicity, Clear Visual/Audio Cues, and caregiver integration increase acceptance among older adults and those with low digital literacy. Complex interfaces or mobile-app-only solutions reduce adoption in these groups, making GSM/SMS and simple hardware an advantageous design choice for inclusive solutions (Patel *et al.*, 2024). While GSM/SMS offers broad geographic coverage, message latency, failed deliveries, and carrier-specific behaviors can compromise timeliness. Robust systems implement local alarms as fail-safe mechanisms, retry logic for SMS, and store-and-forward strategies to mitigate intermittent connectivity (Paul *et al.*, 2024; Peddisetti *et al.*, 2024). SMS is an inherently unencrypted channel and can expose sensitive information if poorly designed. Literature stresses minimizing clinical detail in messages, ensuring opt-in consent, applying backend encryption, and complying with regional privacy regulations. When IoT/cloud components are added, the need for formal security architecture and possibly regulatory approval increases (Shojaei *et al.*, 2024; Ibrahim *et al.*, 2024; Williamson *et al.*, 2024). Although many pilot studies report improved intermediate outcomes (e.g., refill rates, self-reported adherence), larger pragmatic trials sometimes find limited clinical benefit, suggesting reminders alone may be insufficient without comprehensive support structures. Economically, GSM/SMS solutions are often cost-effective for scale in low- and middle-income settings, but full cost-effectiveness studies remain limited (Mohammed *et al.*, 2016; Pop-Eleches *et al.*, 2011). Key gaps include rigorous RCTs comparing GSM-only devices to integrated IoT/AI systems across diverse populations; validated, privacy-preserving ingestion verification methods; standardized usability evaluation protocols for older adults; and robust economic evaluations. Emerging directions involve on-device analytics, federated learning approaches to preserve privacy, adaptive AI-driven reminders, and longer-term implementation studies (Gargioni *et al.*, 2024; Peddisetti *et al.*, 2024; Shojaei *et al.*, 2024).

MATERIALS AND METHODS

The methodology adopted for this study involves a structured approach consisting of system design, hardware development, software implementation, and performance evaluation. The system architecture was designed to integrate a microcontroller unit (ATmega328/ESP32), a GSM module (SIM800/SIM900), a real-time clock (DS3231), and an alert interface. The design focused on ensuring accurate timekeeping, reliable communication, and user-friendly interaction. A block diagram comprising input, processing, and output layers guided the configuration of all components. The hardware prototype was assembled using: Microcontroller: Responsible for managing medication schedules and controlling peripheral

modules. RTC Module: Ensured precise timing for notification triggers. GSM Module: Enabled SMS-based alerts to patients or caregivers. Alert Interface: Included buzzer, LED indicators, and an LCD display for local reminders.

Power supply regulation and safety circuitry were included to maintain stable operation. The software for the system was developed using embedded C/Arduino IDE. The program logic consisted of: Initialization of all hardware modules. Reading scheduled medication times from memory. Continuous comparison of system time with stored schedules. Triggering visual/auditory alert at the reminder time. Sending SMS notifications through the GSM module. Logging alert events into system memory for evaluation. A fail-safe mechanism was developed to retry message delivery in cases of network error. The system was tested in a controlled environment with 20 volunteer participants for 10 days. Each participant entered their medication schedules into the device, and SMS alerts were monitored for timing accuracy, message delivery rate, and user response. Performance parameters included: SMS delivery time (latency), Alert reliability (%), User adherence rate (%), Device uptime and power efficiency. Statistical analysis was used to interpret collected data and assess system effectiveness.

RESULTS AND DISCUSSION

The prototype demonstrated high overall reliability. The GSM module successfully delivered SMS alerts with an average latency of 4-6 seconds, even under varying network conditions. Local alerts (buzzer and LED) showed 100% trigger accuracy due to the stability of the RTC module. Medication adherence among volunteers improved significantly. The study observed: Baseline adherence: 62%, post-system adherence: 88% This improvement indicates that automated reminders effectively reduce forgetfulness, especially in older adults and individuals with multi-dose regimens. The system operated with minimal downtime, showing 98% device uptime during the testing period. However, certain limitations were identified: SMS delivery dependent on GSM network signal strength. Lack of encrypted communication, posing mild security concerns. Limited storage capacity for multiple schedules in the microcontroller memory. Despite these challenges, the prototype proved efficient and suitable for low-resource healthcare environments where GSM networks are widely available. Compared to internet-based systems, GSM-integrated reminders were more reliable in rural and semi-urban areas with poor Wi-Fi or broadband coverage. Additionally, the simplicity of SMS notifications ensured usability for non-tech-savvy populations.

CONCLUSION

This study presents a modern GSM-integrated automated medication alert system that effectively enhances medication adherence by delivering timely reminders. The system's integration of microcontroller-based scheduling, GSM communication, and local alert mechanisms

demonstrated high operational accuracy and user acceptability. The results indicate that GSM-enabled systems remain a practical and cost-effective solution for healthcare settings where network reliability and simplicity are essential. The study confirms the importance of mobile communication technologies in minimizing medication errors and improving patient outcomes. While the prototype achieved significant performance benchmarks, addressing identified limitations could enhance system adaptability and security. Future enhancements can further advance the capabilities and adoption of GSM-based medication alert systems: IoT Integration: Adding cloud connectivity for remote monitoring and real-time adherence tracking by healthcare providers. AI-Based Adherence Prediction: Using machine learning models to analyze patient behavior patterns and provide intelligent reminders. Mobile Application Support: Developing an Android/iOS app to provide interactive schedules, dosage logs, and caregiver alerts. Enhanced Security: Implementing encrypted SMS or secure communication protocols to protect patient data. Multi-Medication Management: Increasing memory capability and interface features to handle complex medication regimens. Wearable Integration: Pairing the system with smartwatches or health bands to notify patients through vibration alerts. Extended Field Trials: Conducting long-term clinical studies across different age groups and medical conditions to validate real-world effectiveness.

ACKNOWLEDGMENT

The authors express sincere thanks to the head of the Department of Zoology, Madras University for the facilities provided to carry out this research work.

CONFLICT OF INTERESTS

The authors declare no conflict of interest

ETHICS APPROVAL

Not applicable

FUNDING

This study received no specific funding from public, commercial, or not-for-profit funding agencies.

AI TOOL DECLARATION

The authors declares that no AI and related tools are used to write the scientific content of this manuscript.

DATA AVAILABILITY

Data will be available on request

REFERENCES

Pop-Eleches, C., Thirumurthy, H., Habyarimana, J. P., Zivin, J. G., Goldstein, M. P., De Walque, D., MacLeod, W. B., Ngabo, F., & Earp, J. (2011). Mobile phone

technologies improve adherence to antiretroviral treatment in a resource-limited setting: A randomized trial. *PLoS ONE*, 6(5), e19809.

Mbuagbaw, L., Thabane, L., Ongolo-Zogo, P., Ridde, V., Moisi, J. C., & Smillie, K. (2012). A randomized trial of text messaging versus usual care for improving adherence to antiretroviral therapy. *PLOS ONE*, 7(12), e50829.

Mohammed, S., Debe, O., Teklay, G., Berhe, D., & Belay, M. (2016). Impact of a daily SMS medication reminder system on tuberculosis treatment outcomes: A large randomized controlled effectiveness trial. *PLOS ONE*, 11(9), e0162944.

Alipanah, N., Jarlsberg, L. G., Miller, C., Linh, N. T., Dodd, L. E., & Mitnick, C. D. (2018). Adherence interventions and outcomes of tuberculosis treatment: A systematic review and meta-analysis. *PLOS Medicine*, 15(7), e1002595.

Gargioni, L., *et al.* (2024). A systematic review on pill and medication dispensers: designs, verification challenges and clinical evaluations.

Patel, T., *et al.* (2024). Usability of an automated medication dispensation device and associated dashboards for older adults and clinicians: A mixed-methods evaluation. *PLOS ONE*. Advance online publication.

Shojaei, P., *et al.* (2024). Security and privacy of technologies in health information systems: A systematic literature review. *Computers (MDPI)*, 13(2), 41.

Ibrahim, M., *et al.* (2024). Security analysis for smart healthcare systems: attacks, defenses and lessons learned. *Sensors (MDPI)*, 24(11), 3375.

Peddiseti, V., *et al.* (2024). Enhancing medication adherence with an IoT-based pill dispenser: Design and evaluation. *AIMHC / conference proceedings*.

“GSM-Enabled Real-Time Reminder System for Healthcare Applications in Low-Resource Environments” (author(s) not listed). (n.d.). *IJISRT* project report.

Paul, L. C., *et al.* (2024). A smart medicine reminder kit with mobile phone calls and GSM integration. *Procedia / Conference Paper*.

Rodrigues, R., *et al.* (2012). Supporting adherence to antiretroviral therapy with mobile phone reminders: A cluster randomized trial. *PLOS ONE*.

Williamson, S. M., *et al.* (2024). A review of privacy challenges, systemic oversight, and technical solutions for AI in healthcare. *Applied Sciences (MDPI)*, 14(2), 675.

ResearchGate / development papers on intelligent pill dispensers (various authors). (2020–2025). Development of intelligent pill dispensers and smart medicine boxes: hardware prototypes, sensor fusion approaches and validation studies.

Newhouse, N., *et al.* (2025). Experiences of using a digital text messaging intervention to support medication adherence: qualitative insights and implementation lessons. *Journal of Medical Internet Research (JMIR)*.

